

# OVERLOAD TRAILERS

OVERLOAD TRAILERS



**NEW TURBOCLEANER**

**DEZEURE**  
*QUALITY ON WHEELS!*

Izenbergstraat 5 - 8630 B-Veurne (Beauvoorde)  
T +32 (0) 58 28 00 80 - F +32 (0) 58 28 00 88

[www.dezeure.be](http://www.dezeure.be)

# OVERLOAD TRAILER

Superior service: SUPERIOR YIELDS - multifunctionality

## Why is the yield superior?

With the overload trailer, you can load your products in a truck in a gentle way. Our new TRANSMAX model can fill a lorry in less than 5 minutes at 1 time.



Why multifunctional?

The overload trailer can be used for:

- corn • carrots • peas • wheat corn • beats • potatoes • beans • cereals ...



Special model for grains



Special model for peas



The overload trailer as silage trailer



Pending patent

TURBOCLEANER: Removes the earth from the crops

## THE MOST POPULAR MODEL

- Hydraulic suspension
- All LED lighting + 4 worklights
- Hydraulic control of the floor with 2 motors
- Unloading in 2 speeds
- Potato floor: usable for carrots, onions,... as well (option: sealed floor for grains)
- Hydraulic back door
- AXLES: BPW #150/10 brakes 410 x 180 or pto driven axles MAN
- Inspection platform at front and backside
- Air or hydraulic brakes



## TECHNICAL DATA

Type	Unloading height	Dimensions	Number of axles	
<b>Most popular models</b>				
(MULTI)TRANS D20	4,5m	7700x2300x1300	2	1 lorry = 2 times
(MULTI)TRANSMAX	4,5m	9500x2500x1300	3	1 lorry = 1 time
<b>Other models upon request</b>				
D18HL	3m	7200x2300x1200	2	
D16HH	4m	7200x2300x1300	2	

Possible with driven axles!

## OPTIONS

- Load transfer with toplinek
- Hydraulic suspension on the drawbar
- Additional working light(s)
- Width lights
- Stackable extensions
- Free steering axle with hydraulic blocking
- Forced steering axle(s)
- Forced steering axle(s) with automatic alignment
- PTO large angle
- Camera with 7" screen


### FLOOR

- Floor for beets
- Floor for potatoes (crops bigger than 1 cm)
- Floor sealed for grains (good for all types of crops)
- Stainless steel Floor
- The complete loading space in stainless steel
- Special model for peas



Swan neck

Stainless steel



Sealed floor

## OPTIONS CONTINUED

### CONTROLS

- Controlled by the spool valves of the tractor (standard)
- Hydraulic group on the trailer, pto driven
- Hydraulic unit working with the load sensing pump of the tractor
- SECUTOUCH: is an easy to use touchscreen  
With the SECUTOUCH you have a complete secured control of the trailer
- Automatic level control
- Wireless remote control

### VARIA

- Air brakes
- Metallization
- Other color possible on demand
- Automatic central greasing system
- Weighing system

### LIMITED DROP HEIGHT

- Hydraulic side panel. Possibility to load 500 mm lower into the overload trailer
- Swan neck: downwards-inclined floor, overload lower into the lorry

### DRIVEN AXLES 4 x 4 | 6 X 6

- Traction axles MAN with electro-pneumatic controlled gearbox
- Secured by the SECUTOUCH controller
- FREE WHEEL DRIVE on the driven axles
- Hydraulic link on the gearbox



Secutouch



**NEW** Swan neck: floor inclination downwards



## DEZEURE NV

IZENBERGESTRAAT 5, B-8630 VEURNE  
T +32 58 28 00 80 | F +32 58 28 00 88  
info@dezeure.be | www.dezeure.be | 